

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| S1 | 4 | (("20020094307") or ("20020068009") or ("20020068010") or ("5392379")).PN. | US_PGPUB; USPAT | OR | OFF | 2008/04/21 14:16 |
| S2 | 411 | (422/125).OCLS. | US_PGPUB; USPAT | OR | OFF | 2008/04/21 14:47 |
| S3 | 0 | S2 and "cigar jack" | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/04/21 14:48 |
| S4 | 14 | S2 and "car" | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/04/21 14:49 |
| S5 | 18 | ("2468164" "2668993" "3080624" "3770199" "3923458" "3948445" "3973493" "4216176" "4627963" "4695435" "4808347" "4849181" "5788931").PN. OR ("6090349").URPN. | US_PGPUB; USPAT; USOOR | OR | OFF | 2008/04/21 14:55 |
| S6 | 7 | ("5373581" "5394506" "5626496" "5788931" "6141496" "6197263" "6249645").PN. OR ("6592828").URPN. | US_PGPUB; USPAT; USOOR | OR | OFF | 2008/04/21 14:56 |
| S7 | 26 | ("5126078" "5170067" "5373581").PN. OR ("5788931").URPN. | US_PGPUB; USPAT; USOOR | OR | OFF | 2008/04/21 17:09 |
| S8 | 46 | ("2849606" "2898649" "3006042" "3551092" "3872280" "4214146" "4251714" "4391781" "4574181" "4604245" "4686353" "4692590" "4714984" "4725712" "4731521" "4808347" "4968456" "D306644").PN. OR ("5394506").URPN. | US_PGPUB; USPAT; USOOR | OR | OFF | 2008/04/21 17:20 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S9 | 28 | S2 and "automobile" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/04/21 17:41 |
| S10 | 0 | S2 and "cigarjack" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/04/21 17:41 |
| S11 | 41 | ("2931880" "3872280" "4214146" "4391781" "4725712" "4731520" "4849606" "D306644" "D314044").PN. OR ("5373581").URPN. | US-PGPUB; USPAT; USOOR | OR | OFF | 2008/04/21 17:44 |
| S12 | 873 | (219/202).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/04/21 17:55 |
| S13 | 270 | (392/390).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/04/21 17:56 |
| S14 | 428 | (392/403).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/04/21 17:57 |
| S16 | 1 | ("6090349").PN. | US-PGPUB; USPAT | OR | OFF | 2008/04/23 17:58 |
| S17 | 1 | ("4849606").PN. | US-PGPUB; USPAT | OR | OFF | 2008/04/23 17:58 |
| S18 | 18 | ("2468164" "2668993" "3080624" "3770199" "3923458" "3948445" "3973493" "4216176" "4627963" "4695435" "4808347" "4849181" "5788931").PN. OR ("6090349").URPN. | US-PGPUB; USPAT; USOOR | OR | OFF | 2008/04/23 18:03 |
| S19 | 10 | ((("20040088076") or ("20050065644") or ("20050102059") or ("20030033156") or ("20030033396") or ("20040015269") or ("20040162850") or ("20040220844") or ("20040226956") or ("20040230339")).PN. | US-PGPUB; USPAT | OR | OFF | 2008/04/24 13:40 |
| S20 | 2 | JP-09327505-\$ did. | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:01 |

| | | | | | | |
|-----|-------|--|---|----|-----|---------------------|
| S21 | 2 | JP-06247479-\$ did. | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:02 |
| S22 | 2 | JP-02111277-\$ did. | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:02 |
| S23 | 33243 | "vehicle" and jack | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:03 |
| S24 | 3919 | "vehicle" and jack and plug | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:04 |
| S25 | 737 | "vehicle" and jack and plug and generator | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:04 |
| S26 | 271 | "vehicle" and jack and plug and generator and interior | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:04 |
| S27 | 176 | "vehicle" and "cigarette lighter outlet" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:13 |
| S28 | 429 | (392/403).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/06 10:30 |
| S29 | 3 | S28 and "cigarette lighter" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:30 |
| S30 | 875 | (219/202).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/06 10:31 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| S31 | 47 | "cigarette lighter" | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:31 |
| S32 | 263 | "cigarette lighter" and outlet and pivot | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:39 |
| S33 | 89 | "cigarette lighter" and outlet and pivotable | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 10:39 |
| S34 | 75 | aroma and (filter or wick) and "cigarette lighter" | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 11:32 |
| S35 | 46 | (fragrance or perfume or aroma) and (filter or wick) and "cigarette lighter" and outlet | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 11:34 |
| S36 | 7 | ((("6293474") or ("6296196") or ("6341732") or ("6439474") or ("6446880") or ("6450419") or ("6857580"))).PN. | US_PGPUB; USPAT | OR | OFF | 2008/05/06 14:10 |
| S37 | 1 | "cigarette lighter" and outlet and "length control" | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 16:59 |
| S38 | 2 | "cigarette lighter" and outlet and "length adjustment" | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 17:10 |

| | | | | | | |
|-----|--------|---|--|----|-----|------------------|
| S39 | 1 | "cigarette lighter" and outlet and "length adjuster" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 17:11 |
| S40 | 1 | "cigarette lighter" and plug and "length adjuster" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 17:12 |
| S41 | 38 | "cigarette lighter" and plug and (length with adjust) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 17:13 |
| S42 | 2 | "cigarette lighter" and "power plug" and (length with adjust) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 18:33 |
| S43 | 35 | "power plug" and (length with adjust) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 18:33 |
| S44 | 8937 | bolt and (length with adjust) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 18:35 |
| S45 | 4 | bolt and (length with adjust) and "cigarette lighter" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 18:35 |
| S46 | 357429 | bolt and (length adjustment) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 18:38 |
| S47 | 290894 | bolt and (length adjuster) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 18:38 |

| | | | | | | |
|-----|-------|--|--|----|-----|------------------|
| S48 | 47087 | bolt and (length adjuster) and slidable | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 18:38 |
| S49 | 6611 | bolt and (length adjuster) and slidable and plug | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 18:38 |
| S50 | 1 | bolt and (length adjuster) and slidable and plug and "cigarette lighter adaptor" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 18:39 |
| S51 | 0 | bolt and (length with adjusting) and slidable and plug and "cigarette lighter adaptor" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 18:41 |
| S52 | 94 | bolt and (length with adjust) and slidable and adapter | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 18:41 |
| S53 | 0 | "heating means" and (PCB or "printed circuit board") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:09 |
| S54 | 0 | "heating means" and PTC | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:11 |
| S55 | 441 | "heating" and PTC and (PCB or "printed circuit board") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:11 |
| S56 | 472 | (heating or heater) and PTC and (PCB or "printed circuit board") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:12 |

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S57 | 234 | (heater) and PTC and (PCB or "printed circuit board") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:12 |
| S58 | 14 | (heater) and PTC and (PCB or "printed circuit board") and (fragrance or aroma) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:12 |
| S59 | 0 | (heater) and "stripe resistor" and (PCB or "printed circuit board") and (fragrance or aroma) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:22 |
| S60 | 0 | (heater) and "stripe resistors" and (PCB or "printed circuit board") and (fragrance or aroma) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:22 |
| S61 | 72 | (heater) and "resistor" and (PCB or "printed circuit board") and (fragrance or aroma) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:23 |
| S62 | 0 | (heater) and (resistors with stripe) and (PCB or "printed circuit board") and (fragrance or aroma) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:23 |
| S63 | 71 | (heater) and "resistors" and (PCB or "printed circuit board") and (fragrance or aroma) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:26 |
| S64 | 34 | (fragrance or aroma or perfume) and open and closing and exhaust and knob | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:37 |
| S65 | 1 | (fragrance or aroma or perfume) and "fragrance exhaust" and knob | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:41 |

| | | | | | | |
|-----|----|--|--|----|-----|------------------|
| S67 | 5 | (fragrance or aroma or perfume) and "exhaust opening" and knob | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:41 |
| S69 | 2 | (fragrance or aroma or perfume) and "exhaust opening" and adjustable and knob | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:43 |
| S70 | 63 | (fragrance or aroma or perfume) and "exhaust opening" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:44 |
| S71 | 8 | (fragrance or aroma or perfume) and "exhaust opening" and adjustable | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:44 |
| S72 | 99 | (fragrance or aroma or perfume) and "outlet opening" and adjustable | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:46 |
| S73 | 14 | (fragrance or aroma or perfume) and "outlet opening" and adjustable and knob | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:46 |
| S75 | 0 | (fragrance or aroma or perfume) and "adjustable outlet opening" and knob | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:47 |
| S76 | 84 | (fragrance or aroma or perfume) and "outlet" and "opening" and adjustable and knob | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:50 |
| S77 | 7 | (PCB or "printed circuit board") and slideable and switch and on and off | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/06 20:59 |

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S78 | 148 | "eccentric cam" and "closure member" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 14:39 |
| S79 | 0 | "eccentric cam" and "closure member" and "opening means" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 14:40 |
| S80 | 127 | "eccentric cam" and "closure member" and "opening" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 14:40 |
| S81 | 23 | "eccentric cam" and "closure member" and "opening" and door | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 14:40 |
| S82 | 34 | "eccentric cam" and "closure member" and "opening" and (door or lid) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 14:40 |
| S83 | 57 | pinion and rack and knob and "closure member" and "opening" and (door or lid) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 17:52 |
| S84 | 4 | ("rotary locking" or "rotary unlocking") and "closure member" and "opening" and (door or lid) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 18:41 |
| S85 | 7 | ("rotary locking" or "rotary unlocking") and "closure member" and "opening" and (door or lid or cover) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 18:41 |
| S86 | 0 | ("rotary locking" or "rotary unlocking") and pinion and rack and "closure member" and (door or lid or cover) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 18:48 |

| | | | | | | |
|------|-----|--|--|----|-----|------------------|
| S87 | 8 | rotary and locking and unlocking and pinion and rack and knob and "closure member" and "opening" and (door or lid) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 18:48 |
| S88 | 167 | (15/257.6).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 18:52 |
| S89 | 79 | (220/220).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 18:53 |
| S90 | 142 | (49/350).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 19:09 |
| S91 | 380 | (49/362).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 19:15 |
| S92 | 216 | (108/38).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 19:17 |
| S93 | 88 | (126/384.1).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 19:18 |
| S94 | 38 | (232/41D).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 20:07 |
| S95 | 302 | (242/347.1).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 20:09 |
| S96 | 30 | (D3/298).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 20:14 |
| S97 | 74 | (D3/300).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 20:15 |
| S99 | 447 | (D9/504).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 20:17 |
| S100 | 114 | (49/130).OCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 20:21 |
| S101 | 247 | (slidable or slide) and closure and (container or box or holder) and "slide switch" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 20:23 |
| S102 | 4 | han-jong-hun.in. | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 20:42 |
| S103 | 1 | ("20030082930").PN. | US-PGPUB; USPAT | OR | OFF | 2008/05/12 21:05 |

5/13/2008 2:46:23 PM

C:\Documents and Settings\ryoo\My Documents\EAST\Workspaces\10564858 on 042108.wsp